



MID-RISE SCISSOR LIFT

# SPRINTER

**FAST AND MOBILE**

**360°  
Access**



## ADD A WORK BAY WHEREVER, WHENEVER

- ✓ Up and running in seconds
- ✓ No bolts or compressed air needed for installation
- ✓ Covers most of the activities in your workshop

**3000 KG**

Made  
in  
Germany




MID-RISE SCISSOR LIFT

# SPRINTER

## The top mid-rise lift

With a lifting height of 990 mm, the SPRINTER is your best ally for most of your workshop activities. The SPRINTER is easy to install and easy to move. A solid steel construction and a premium quality hydraulic system make it enduring and reliable, ready to lift everything, from very small cars up to off-road vehicles and heavy SUVs.




### Covers most of your repair shop activities

The SPRINTER is an efficient and mobile solution for tire service, painting, body work and more. **360° access** brings you a vast range of possibilities.



### Reliable hydraulic system

The hydraulic system of the lift works with two independent cylinders. The mechanic synchronization is done by torsion bars at the bottom of the lift: No wear, no noise.



- ✓ Can be installed without bolts on almost every flat and solid surface
- ✓ Anti-skid lifting platforms are galvanized and lengthwise adjustable with one hand
- ✓ Solid steel construction

#### SPRINTER: UP AND RUNNING IN SECONDS



SPRINTER MOBIL 3000 for off-road and SUV vehicles

Flaps to increase the length of the ramps, easy to lock and unlock with one hand

Included: Set of 4 polymer pads (50x150x340 mm)

Optional mobile set to move your lift easily and quickly

## THE PLUS FOR YOUR SHOP

- **Flexible**  
This lift is easy to move with the optional mobile set
- **Fast and easy to set up<sup>2</sup>**  
We deliver the lift fully assembled after being tested at the factory
- **Fast lifting and lowering times**  
The powerful oil submerged motor in the power unit guarantees short lifting and lowering times


2 You will need an electric power supply as specified and ca. 12l of hydraulic oil



## FAST AND MOBILE

SPRINTER	3000
Lifting capacity (kg)	3000
Lifting/lowering time approx. (sec)	15
Lifting height (mm)	990
Drive-on height (mm)	105
Total width (mm)	1910
Platform width (mm)	450
Platform length (mm)	1400-2010
Motor (kW)	1,5
Power supply (V/Hz/A)	400/50/16

### ACCESSORIES



Fire galvanization of scissoring and base plate for corrosive environment



Polymer pads  
50 x 150 x 340 mm (included)



Polymer pads  
100 x 150 x 340 mm



Pyramid pad



Tuning ramps for low or sports cars, set of 4 units

**More accessories available**